

## ADIGOR<sup>®</sup> Adjuvant

COMMERCIAL

LIQUID

This product must only be used with AXIAL<sup>®</sup> 100EC Herbicide and BROADBAND<sup>™</sup> Herbicide on spring wheat and barley.

**FOR SALE FOR USE ONLY IN THE PRAIRIE PROVINCES AND PEACE RIVER, OKANAGAN, AND CRESTON FLATS REGIONS OF BRITISH COLUMBIA**

**GUARANTEE:**

Methylated rape seed oil.....	48.8%
Ethoxylated alcohols.....	28.2%

**READ THIS LABEL AND AXIAL 100EC HERBICIDE and BROADBAND HERBICIDE  
BOOKLET BEFORE USING  
KEEP OUT OF REACH OF CHILDREN**

**CAUTION - SKIN IRRITANT  
POTENTIAL SKIN SENSITIZER**

REGISTRATION NO.: **28151**  
PEST CONTROL PRODUCTS ACT

NET CONTENTS: **1 L - BULK**

**Syngenta Crop Protection Canada, Inc.**  
140 Research Lane, Research Park,  
Guelph, Ontario  
N1G 4Z3  
Telephone: 1-877-964-3682

**LABEL**

## NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

## FIRST AID

**IN CASE OF POISONING**, contact a physician or a poison control centre **IMMEDIATELY**. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**If swallowed**, call a poison control centre or doctor **IMMEDIATELY** for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

**If on skin or clothing**, take off contaminated clothing. Rinse skin **IMMEDIATELY** with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

**If in eyes**, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**If inhaled**, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

## TOXICOLOGICAL INFORMATION

This product contains materials that may cause severe pneumonitis if aspirated. Treat symptomatically for ingestion and/or skin and eye contact. This product contains PETROLEUM DISTILLATES. VOMITING MAY CAUSE ASPIRATION PNEUMONIA.

## PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN.

Potential skin sensitizer. DO NOT get on skin. May irritate skin. Wear long sleeved shirt, long pants and chemical resistant gloves during mixing, loading, clean up and repair. Wear long sleeved shirt and long pants during application.

## **ENVIRONMENTAL HAZARDS**

This product contains a petroleum distillate which is moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application. Do not contaminate these systems through direct application, disposal of waste or cleaning equipment.

## **STORAGE**

Store the product in closed original container in a well-ventilated room. Keep out of reach of children, unauthorized persons and animals. Store separate from food, feed, and fertilizer.

## **DECONTAMINATION AND DISPOSAL**

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.

### **CONTAINER DISPOSAL:**

#### **FOR DISPOSAL OF PLASTIC JUGS:**

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

#### **FOR REFILLABLE CONTAINERS:**

For disposal, this empty container may be returned to the point of purchase (distributor/dealer). It must be refilled by the distributor/dealer with the same product. Do not reuse this container for any other purpose.

***IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING,  
CALL 1-800-327-8633 (FASTMED)***

## **PRODUCT INFORMATION**

ADIGOR Adjuvant is an emulsifiable oil product. It is designed for use as a spray tank adjuvant for use with AXIAL 100EC Herbicide and BROADBAND Herbicide for post emergent control of grasses in spring wheat and barley.

## **DIRECTIONS FOR USE**

**CROPS:** Spring Wheat and Barley

ADIGOR Adjuvant is to be used only with AXIAL 100EC Herbicide and BROADBAND Herbicide. Apply at a rate of 0.7 litres per hectare (0.7L/ha).

Refer to the AXIAL 100EC Herbicide and BROADBAND Herbicide labels for further details on mixing instructions.

Product names marked ® or ™ are registered trademarks of a Syngenta Group Company