

Bayer CropScience



RAXIL® WW

MSDS Number: 10200021410
MSDS Version 1.0
Revision Date: 06/10/2010

Co-Pack with these Product Material Safety Data Sheets:

Material Safety Data Sheet
STRESS SHIELD® FOR CEREALS

MSDS Number: 102000013082
MSDS Version 1.1
Revision Date: 07/07/2008

Material Safety Data Sheet
RAXIL® MD FUNGICIDE

MSDS Number: 102000013084
MSDS Version 2.1
Revision Date: 05/14/2008



Material Safety Data Sheet
STRESS SHIELD® FOR CEREALS

MSDS Number: 102000013082
 MSDS Version 1.1
 Revision Date: 07/07/2008

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name STRESS SHIELD® FOR CEREALS
MSDS Number 102000013082
PCP Registration No. 29609

Bayer CropScience Inc
 #200, 160 Quarry Park Blvd, SE
 Calgary, Alberta T2C 3G3
 Canada

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)
 For Product Information call: 1-888-283-6847

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous Component Name</u>	<u>CAS-No.</u>	<u>Average % by Weight</u>
Imidacloprid	138261-41-3	40.30

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Caution! Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing.

Physical State liquid suspension

Odor characteristic

Appearance light cream

Routes of Exposure Inhalation, Ingestion, Skin Absorption, Eye contact, Skin contact

Immediate Effects

Eye May cause mild irritation to eyes. Avoid contact with eyes.

Skin Harmful if absorbed through skin. Avoid contact with skin and clothing.

Ingestion Harmful if swallowed. Do not take internally.

Inhalation Inhalation may cause irritation of nasal passages. Harmful if inhaled. Do not breathe vapours or spray mist.

Chronic or Delayed Long-Term This product or its components may have target organ effects.



Material Safety Data Sheet
STRESS SHIELD® FOR CEREALS

MSDS Number: 102000013082
 MSDS Version 1.1

Potential Environmental Effect Highly toxic to aquatic invertebrates. Highly toxic to birds.

SECTION 4. FIRST AID MEASURES

General	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Eye	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Skin	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Notes to Physician Treatment	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5. FIRE FIGHTING MEASURES

Flash point	no data available
Autoignition Temperature	no data available
Lower Flammability Limit	no data available
Upper Flammability Limit	no data available
Fire and Explosion Hazards	In the event of fire the following can be released: Hydrogen chloride (HCl) Nitrogen oxides (NOx)
Suitable Extinguishing Media	Foam, Carbon dioxide (CO2), Dry chemical, Water spray



Material Safety Data Sheet
STRESS SHIELD® FOR CEREALS

MSDS Number: 102000013082
 MSDS Version 1.1

Fire Fighting Instructions Keep out of smoke. Fight fire from upwind position. Cool closed containers/ tanks exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods for Cleaning Up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional Advice Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

SECTION 7. HANDLING AND STORAGE

Handling Procedures Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Keep away from heat and sources of ignition.

Storing Procedures Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Work/Hygienic Procedures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Min/Max Storage Temperatures Recommended minimum transport/storage temperature: 5 °C / 41 °F
 Recommended maximum transport/storage temperature: 40 °C / 104 °F

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General Protection Follow all label instructions. Train employees in safe use of the product.



Material Safety Data Sheet
STRESS SHIELD® FOR CEREALS

MSDS Number: 102000013082
 MSDS Version 1.1

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

- Eye/Face Protection** Tightly fitting safety goggles
- Hand Protection** Chemical resistant nitrile rubber gloves
- Body Protection** Wear long-sleeved shirt and long pants and shoes plus socks.
- Respiratory Protection** When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Exposure Limits

Imidacloprid	138261-41-3	OES BCS*		0.7 mg/m3
1,2-Propanediol	57-55-6	CAD ON OEL	TWA	50 ppm
		CAD ON OEL	TWA	10 mg/m3

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance** light cream
- Physical State** liquid suspension
- Odor** characteristic
- pH** 7.5 - 9.0 (100 %)
- Vapor Pressure** no data available
- Vapor Density (Air = 1)** no data available
- Density** 1.19 g/cm³ at 20 °C
- Evaporation rate** no data available
- Boiling Point** no data available
- Melting / Freezing Point** no data available
- Minimum Ignition Energy** no data available



Material Safety Data Sheet

STRESS SHIELD® FOR CEREALS

MSDS Number: 102000013082
MSDS Version 1.1

Partition coefficient: n-octanol/water no data available

Viscosity 400 - 600 mPa.s

SECTION 10. STABILITY AND REACTIVITY

Conditions to Avoid Extremes of temperature and direct sunlight.
Freezing

Incompatibility no data available

Hazardous Reactions No dangerous reaction known under conditions of normal use.
Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity studies have been bridged from a very similar formulation of GAUCHO 480 Flowable. The non-acute information pertains to the technical-grade active ingredient, imidacloprid.

Acute Oral Toxicity male rat: LD50: 4,690 mg/kg

female rat: LD50: 4,070 mg/kg

Acute Dermal Toxicity male/female combined rabbit: LD50: > 5,050 mg/kg

Acute Inhalation Toxicity male/female combined rat: LC50: 2.1 mg/l
Exposure time: 4 h
Determined in the form of liquid aerosol.
(actual)

male/female combined rat: LC50: 8.4 mg/l
Exposure time: 1 h
Determined in the form of liquid aerosol.
Extrapolated from the 4 hr LC50.
(actual)

Skin Irritation rabbit: No skin irritation.

Eye Irritation rabbit: Minimally irritating.

Sensitization guinea pig: Non-sensitizing.

Chronic Toxicity Imidacloprid caused thyroid and/or liver effects in chronic dietary studies in rats and dogs.

Assessment Carcinogenicity

Imidacloprid was not carcinogenic in studies in rats and mice.



Material Safety Data Sheet
STRESS SHIELD® FOR CEREALS

MSDS Number: 102000013082
 MSDS Version 1.1

ACGIH
None.
NTP
None.
IARC
None.
OSHA
None.

Reproductive & Developmental Toxicity **REPRODUCTION:** Imidacloprid was not a reproductive toxicant in a multi-generation study in rats.

DEVELOPMENTAL TOXICITY: Imidacloprid is not considered a primary developmental toxicant in rats and rabbits. Developmental effects were observed at doses that caused maternal toxicity.

Neurotoxicity Imidacloprid showed slight behavioral and activity changes only at the highest dose tested in neurotoxicity studies in rats. There were no correlating morphological changes observed in the neural tissues.

Mutagenicity Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

SECTION 12. ECOLOGICAL INFORMATION

Environmental Precautions Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.

Ecological Information Exposed treated seed may be hazardous to birds.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance Follow advice on product label and/or leaflet.

Container Disposal Do not re-use empty containers. Triple rinse containers. Puncture container to avoid re-use. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke. Follow advice on product label and/or leaflet.



Material Safety Data Sheet
STRESS SHIELD® FOR CEREALS

MSDS Number: 102000013082
MSDS Version 1.1

SECTION 14. TRANSPORT INFORMATION

TDG (Canada):
Not regulated for road or rail

SECTION 15. REGULATORY INFORMATION

PCP Registration No. 29609

US Federal Regulations

TSCA list

None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

None.

Canadian Regulations

Canadian Domestic Substance List

None.

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.



Material Safety Data Sheet
STRESS SHIELD® FOR CEREALS

MSDS Number: 102000013082
MSDS Version 1.1

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 0 Reactivity - 0 Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Updated for general editorial purposes.

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 07/07/2008

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.



Material Safety Data Sheet
RAXIL® MD FUNGICIDE

MSDS Number: 102000013084
 MSDS Version 2.1
 Revision Date: 05/14/2008

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name RAXIL® MD FUNGICIDE
MSDS Number 102000013084
PCP Registration No. 27692

Bayer CropScience Inc
 #100 - 3131 - 114th Avenue SE
 Calgary, AB T2Z 3X2
 Canada

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)
 For Product Information call: 1-888-283-6847

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous Component Name</u>	<u>CAS-No.</u>	<u>Average % by Weight</u>
Tebuconazole	107534-96-3	0.48
Metalaxyl	57837-19-1	0.63

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

<u>Emergency Overview</u>	Caution! Avoid contact with skin, eyes and clothing. Avoid inhalation of vapour or mist.
Physical State	liquid
Odor	weak characteristic
Appearance	red
Routes of Exposure	Ingestion, Inhalation, Eye contact, Skin contact
Immediate Effects	
Eye	May cause mild irritation to eyes. Avoid contact with eyes.
Skin	Avoid contact with skin and clothing.
Ingestion	Do not take internally. Harmful if swallowed.
Inhalation	May cause respiratory tract irritation. Avoid inhalation of vapour or mist.
Chronic or Delayed Long-Term	This product or its components may have target organ effects. This product or its components may have long term (chronic) health effects.



Material Safety Data Sheet
RAXIL® MD FUNGICIDE

MSDS Number: 102000013084
 MSDS Version 2.1

Potential Environmental Effect Toxic to fish, aquatic invertebrates and marine/estuarine organisms.

SECTION 4. FIRST AID MEASURES

General	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Eye	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Skin	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Notes to Physician Treatment	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5. FIRE FIGHTING MEASURES

Flash point	> 100 °C / 212 °F
Autoignition Temperature	no data available
Lower Flammability Limit	no data available
Upper Flammability Limit	no data available
Fire and Explosion Hazards	In the event of fire the following can be released: Carbon monoxide (CO) Carbon dioxide (CO2) Nitrogen oxides (NOx)



Material Safety Data Sheet

MSDS Number: 102000013084
MSDS Version 2.1

RAXIL® MD FUNGICIDE

Suitable Extinguishing Media Foam, Carbon dioxide (CO2), Dry chemical, Water spray

Fire Fighting Instructions Keep out of smoke. Fight fire from upwind position. Cool closed containers/ tanks exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods for Cleaning Up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional Advice Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

SECTION 7. HANDLING AND STORAGE

Handling Procedures Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Keep away from heat and sources of ignition.

Storing Procedures Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Work/Hygienic Procedures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General Protection Follow all label instructions. Train employees in safe use of the product.



Material Safety Data Sheet
RAXIL® MD FUNGICIDE

MSDS Number: 102000013084
 MSDS Version 2.1

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

- Eye/Face Protection** Tightly fitting safety goggles
- Hand Protection** Chemical resistant nitrile rubber gloves
- Body Protection** Wear long-sleeved shirt and long pants and shoes plus socks.
- Respiratory Protection** When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Exposure Limits

Tebuconazole	107534-96-3	OES BCS*		0.2 mg/m3
1,2-Propanediol	57-55-6	CAD ON OEL	TWA	50 ppm
		CAD ON OEL	TWA	10 mg/m3

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	red
Physical State	liquid
Odor	weak characteristic
pH	6.5 - 8.5 (100 %) (undiluted)
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Density	1.03 g/cm ³ at 20 °C
Evaporation rate	no data available
Boiling Point	no data available
Melting / Freezing Point	-10 °C / 14 °F
Water solubility	miscible



Material Safety Data Sheet

RAXIL® MD FUNGICIDE

MSDS Number: 102000013084
MSDS Version 2.1

Minimum Ignition Energy no data available

Partition coefficient: n-octanol/water no data available

Viscosity 4 - 20 mPa.s

SECTION 10. STABILITY AND REACTIVITY

Conditions to Avoid Heat, flames and sparks.

Incompatibility Oxidizing agents

Hazardous Reactions Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Only acute toxicity studies have been performed on the formulated product. The non-acute information pertains to the technical-grade active ingredients, tebuconazole and metalaxyl.

Acute Oral Toxicity rat: LD50: > 5,050 mg/kg

Acute Dermal Toxicity rabbit: LD50: > 5,050 mg/kg

Acute Inhalation Toxicity rat: LC50: > 2.8 mg/l
Exposure time: 4 h
Determined in the form of liquid aerosol.

rat: LC50: > 11.2 mg/l
Exposure time: 1 h
Determined in the form of liquid aerosol.
Extrapolated from the 4 hr LC50.

Skin Irritation rabbit: No skin irritation.

Eye Irritation rabbit: Minimally irritating.

Sensitization guinea pig: Non-sensitizing.

Chronic Toxicity Tebuconazole caused liver, spleen, adrenal and/or eye effects at high doses in chronic studies in rats and dogs.

Metalaxyl caused liver effects in chronic studies in mice, rats and/or dogs.

Assessment Carcinogenicity

Tebuconazole is classified by EPA as a Group C carcinogen (possible human carcinogen) based on liver tumors in mice and no evidence of carcinogenicity in rats. As the liver tumors were seen only at a dose exceeding a Maximum Tolerated Dose (MTD), no significant carcinogenic risk is posed for human



Material Safety Data Sheet
RAXIL® MD FUNGICIDE

MSDS Number: 102000013084
 MSDS Version 2.1

exposure.

Metalaxyl was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Reproductive & Developmental Toxicity

REPRODUCTION:

Tebuconazole is not considered a primary reproductive toxicant in rats. Reproductive effects (e.g., smaller litters) were observed at the highest concentration but were considered secondary to maternal toxicity.

Metalaxyl did not cause reproductive toxicity in a multi-generation study in rats.

DEVELOPMENTAL TOXICITY:

Tebuconazole is not considered a primary developmental toxicant in laboratory animals. Developmental effects were observed only at doses that caused maternal toxicity.

Metalaxyl is not considered a primary developmental toxicant in laboratory animals. Developmental effects were observed only at doses that caused maternal toxicity.

Neurotoxicity

Tebuconazole caused only transient neurobehavioral effects (e.g., decreased motor activity) in acute, subchronic and/or developmental neurotoxicity studies in rats.

Metalaxyl neurotoxicity studies are not required at this time.

Mutagenicity

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Metalaxyl was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

SECTION 12. ECOLOGICAL INFORMATION

Environmental Precautions

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.

Ecological Information

Exposed treated seed may be hazardous to birds.



Material Safety Data Sheet
RAXIL® MD FUNGICIDE

MSDS Number: 102000013084
MSDS Version 2.1

SECTION 13. DISPOSAL CONSIDERATIONS

- General Disposal Guidance** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Open dumping is prohibited.
- Container Disposal** Do not re-use empty containers. Triple rinse containers. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke. Follow advice on product label and/or leaflet.

SECTION 14. TRANSPORT INFORMATION

TDG (Canada):
Not regulated for road or rail.

SECTION 15. REGULATORY INFORMATION

PCP Registration No. 27692

US Federal Regulations

TSCA list

None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

None.

Canadian Regulations

Canadian Domestic Substance List

None.



Material Safety Data Sheet
RAXIL® MD FUNGICIDE

MSDS Number: 102000013084
MSDS Version 2.1

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Reactivity - 0 Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Updated Section 11: Toxicological Information.

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 05/14/2008

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.